Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A compound having formula (I)

wherein the dashed line indicates a single or double bond, or is absent;

wherein R^1 and R^2 are each and independently selected from the group comprising - H and phospho protecting groups;

wherein X^1 and X^2 are each and independently selected from the group comprising - O-, -S-, -NR¹²-;

wherein Z is selected from the group comprising -O-, -S-, -NR¹³-, -(CR¹⁴R¹⁵)-;

wherein A¹, A², A³, A⁴, A⁵, A⁶, A⁷, A⁸ and A⁹ are each and independently selected from the group comprising -O-, -S-, -NR¹⁶-, -S(O)-, -S(O₂)-, -C(O)-, -C(S)-, -NR¹⁷-C(O)-, -NR¹⁸-C(S)-, -NR¹⁹-C(O)-NR²⁰-, -NR²¹C(S)-NR²²-, -NR²³-S(O)-, -NR²⁴-S(O₂)-, and -NR²⁵-C(O)-O-, or are each and independently from each other absent;

wherein Y is selected from the group comprising -O-, -CR²⁶R²⁷-;

wherein W^1 , W^2 and W^3 are each and independently selected from the group comprising -C— and -N—;

arylalkyl, substituted arylalkyl, heteroarylalkyl, substituted heteroarylalkyl, heterocyclylalkyl, or are each and independently from each other absent:

and the salts, hydrates, solvates and prodrugs thereof.

- 2. (Original) The compound according to claim 1, wherein W¹, A¹, A², A³, A⁴, A⁵, R³, and R⁴ are absent; wherein R⁵, R⁶ and R⁷ are -H; wherein W² and W³ is -C; wherein preferably Z is either -S- or -O-, more preferably -S-; and wherein preferably Y is $-CH_2$ -; wherein preferably A⁷ is either -C(O)- or $-CH_2$ -; wherein both X¹ and X² are -O-; wherein A⁸ is -C(O)-O- or $-NR^{29}$ -C(O)-, whereby the C-atom of the $-NR^{29}$ -C(O)- and -C(O)-O- is covalently bound to V; and wherein R²⁹ is -H or lower alkyl.
- 3. (Original) The compound according to claim 1, wherein W^1 , W^2 , A^1 , A^2 , A^3 , A^4 , A^5 , R^3 , R^4 , R^5 , and R^6 are absent; wherein R^7 is -H; wherein W^3 is -C—; wherein preferably Z is either -S- or -O-, more preferably -S-; and wherein preferably Y is CH_2 -; wherein preferably A^7 is either -C(O)- or - CH_2 -; wherein both X^1 and X^2 are -O-; wherein A^8 is -C(O)-O- or - NR^{29} -C(O)-, whereby the C-atom of the - NR^{29} -C(O)- and -C(O)-O- is covalently bound to V; and wherein R^{29} is -H or lower alkyl.

- 4. (Currently Amended) The compound according to any of the claims 1 to 3, preferably claims 2 to 3, more preferably claim 3, wherein R⁸ is –H and wherein preferably A⁶ is absent.
- 5. (Currently Amended) The compound according to any of the claims 1 to 3, preferably claims 2 to 3 claim 3, wherein A⁶ is selected from the group comprising NR¹⁷-C(O)-, -NR²⁴-S(O₂)-, -NR²⁵-C(O)-O-, and wherein R⁸ is selected from the group comprising optionally substituted aryl-(lower alkyl), optionally substituted heteroarly-(lower alkyl), optionally substituted heteroaryl, preferably optionally substituted phenyl, optionally substituted phenyl-(lower alkyl) and more preferably 1-acetylamino-2-benzo[b]thiophen-3-yl-ethyl; dihalobenzylsulfanylethyl, monohalo-benzylsulfanylethyl, -4-(monohalo-phenyl)-4-oxobutyl, 4-(dihalo-phenyl)-4-oxobutyl; benzo[1,3]dioxol-5-ylmethyl, wherein R¹⁷, R²⁴ and R²⁵ are each and independently selected from the group comprising –H and lower alkyl.
- 6. (Currently Amended) The compound according to any of claims 1 to 5, preferably claims 2 to 5, more preferably claims 4 to 5 claim 4, wherein Q and V are ____N___, wherein T and U are alkyl, preferably lower alkyl, and wherein the dashed line is absent or a single bond.
- 7. (Currently Amended) The compound <u>according</u> to any of claims 1 to 5,

 preferably claims 2 to 5, more preferably claims 4 to 5 claim 4, wherein R²⁸ is -H or

lower alkyl, wherein the dashed line is a single bond, wherein T is $-CH_2$ - and wherein U is selected from the group comprising $-(CH_2)_n$ -; wherein n is any integer from 1 to 5 and preferably 2,3 or 4.

- 8. (Currently Amended) The compound according to any of the claims 1 to 7, preferably claims 2 to 7, more preferably claims 4 to 7 claim 4, wherein R⁹ is -H and wherein R¹⁰ is selected from the group comprising substituted lower alkyl, preferably aryl-(lower-alkyl), heteroaryl-(lower-alkyl), cycloalkyl-(lower-alkyl), heterocyclyl-(lower-alkyl), and more preferably optionally substituted 2-naphthalen-2-yl-ethyl, optionally substituted 2-phenyl-ethyl, optionally substituted 2-phenyl-ethyl, and optionally substituted 2-phenyl-methyl, optionally substituted quinolin-7-ylmethyl-, and optionally substituted 3-isoquinolin-7-ylmethyl.
- 9. (Currently Amended) The compound according to any of claims 1 to 8, preferably claims 2 to 8, more preferably claim 4 to 8 claim 4 wherein A⁹ is -NH-C(O)- or NH-C(S)-, whereby the N-atom of each of -NH-C(O)- and NH-C(S)- is covalently bound to R¹¹, and wherein R¹¹ is selected from the group comprising -H, optionally substituted alkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted heterocyclyl, preferably optionally substituted lower alkyl or -H, and more preferably optionally substituted *tert*-butyl or optionally substituted isopropyl.

- 10. (Currently Amended) The compound according to any of claims 1 to 8, preferably claims 2 to 8, more preferably claims 4 to 8 claim 4, wherein A⁹ is absent and wherein R¹¹ is selected from the group comprising optionally substituted alkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted heterocyclyl, preferably optionally substituted phenyl, optionally substituted thiazol-2-yl, optionally substituted pyridyl and optionally substituted [1,3,4]oxadiazol-2-yl, optionally substituted 4H-[1,2,4]triazol-3-yl.
- 11. (Currently Amended) The compound according to any of the preceding claims, preferably claims 2 to 10, more preferably claims 4 to 10 claim 4 wherein both R¹ and R² are -H.
- 12. (Currently Amended) The compound according to any of the preceding claims, preferably claims 2 to 10, more preferably claims 4 to 10 claim 4, wherein R¹ and R² are each a phospho protecting group, whereby preferably R1 and R2 are each and independently selected from the group comprising 2,2-dimethyl-propionyloxymethyl, isopropoxycarbonyloxymethyl, and 2-acetylsulfanyl-ethyl.
- 13. (Currently Amended) A compound, preferably a compound according to any of the preceding claims claim 1, selected from the group comprising {2-(2-Acetylamino-3-benzo[b]thiophen-3-yl-propionylamino)-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propoxymethyl}-phosphonic acid

{2-(2-Acetylamino-3-benzo[b]thiophen-3-yl-propionylamino)-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

{2-(2-Acetylamino-3-benzo[b]thiophen-3-yl-propionylamino)-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

[3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-(9H-fluoren-9-ylmethoxycarbonylamino)-3-oxo-propoxymethyl]-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[3-(4-chlorobenzylsulfanyl)-propionylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[3-(3.4-dichloro-benzylsulfanyl)-propionylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid

[3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[5-(4-chloro-phenyl)-5-oxo-pentanoylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(5-phenyl-pentanoylamino)-propylsulfanylmethyl]-phosphonic acid [2-(3-Benzo[b]thiophen-3-yl-2-{6-[5-(-2-(6-hydroxy-3-oxo-3H-xanthen-9-yl)-benzoic acid)-ureido]-hexanoylamino}-propionylamino)-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[2-(2.5-dioxo-imidazolidin-4-yl)-acetylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid

[3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-(2cyclohexyl-acetylamino)-3-oxo-propylsulfanylmethyl]-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-[(2oxo-thiazolidine-4-carbonyl)-amino]-propylsulfanylmethyl}-phosphonic acid (3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-{[2oxo-3-(2-oxo-thiazolidine-4-carbonyl)-thiazolidine-4-carbonyl]-amino}propylsulfanylmethyl)-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(3phenoxy-benzoylamino)-propylsulfanylmethyl]-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-[(1.2.3.4-tetrahydro-naphthalene-2-carbonyl)-amino]-propylsulfanylmethyl}phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(3thiophen-2-yl-propionylamino)-propylsulfanylmethyl]-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-(9H-fluoren-9-ylmethoxycarbonylamino)-3-oxo-propylsulfanylmethyl]-phosphonic acid

{2-[3-Benzo[b]thiophen-3-yl-2-(2-piperazin-1-yl-acetylamino)-propionylamino]-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

{2-{3-Benzo[b]thiophen-3-yl-2-[(piperidine-4-carbonyl)-amino]-propionylamino}-3-[2-

(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-

propylsulfanylmethyl}-phosphonic acid

{2-Benzoylamino-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

{3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-phenylacetylamino-propylsulfanylmethyl}-phosphonic acid

[3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(3-phenyl-propionylamino)-propylsulfanylmethyl]-phosphonic acid

[3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(4-phenyl-butyrylamino)-propylsulfanylmethyl]-phosphonic acid

{2-(2-Biphenyl-4-yl-acetylamino)-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid {2-(2-Acetylamino-3-benzo[b]thiophen-3-yl-propionylamino)-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-propylsulfanylmethyl}-phosphonic acid

Ac-Bta-Cys(CH₂-P(O)(OH)₂)-NMeazaAla-2Nal-NH₂

Ac-Bta-Cys(CH₂-P(O)(OH)₂)-NMeazaGly-2Nal-NH₂

{2-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-oxoethylsulfanylmethyl}-phosphonic acid

{3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

{2-Acetylamino-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

{2-Benzyloxycarbonylamino-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

{3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2phenylmethanesulfonylamino-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-[(1phenyl-cyclopentanecarbonyl)-aminol-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[2-(2-chlorophenyl)-acetylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[2-(4-chlorophenyl)-acetylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[2-(4methoxy-phenyl)-acetylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[4-(4-chlorophenyl)-4-oxo-butyrylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[4-(4methoxy-phenyl)-butyrylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-[(5oxo-pyrrolidine-2-carbonyl)-amino]-propylsulfanylmethyl}-phosphonic acid {2-[(Benzofuran-2-carbonyl)-amino]-3-[2-(1-carbamoyl-2-naphthalen-2-ylethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(2piperazin-1-yl-acetylamino)-propylsulfanylmethyl]-phosphonic acid {2-[(3-Acetyl-2-oxo-thiazolidine-4-carbonyl)-amino]-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid

{3-[2-(1-Carbamoyl-2-naphthalen-2-vl-ethylcarbamoyl)-piperidin-1-vl]-2isobutoxycarbonylamino-3-oxo-propylsulfanylmethyl}-phosphonic acid {2-Butoxycarbonylamino-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2methoxycarbonylamino-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2phenoxycarbonylamino-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2phenethyloxycarbonylamino-propylsulfanylmethyl}-phosphonic acid {2-Benzenesulfonylamino-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(2phenyl-ethanesulfonylamino)-propylsulfanylmethyl]-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(3phenyl-propane-1-sulfonylamino)-propylsulfanylmethyl]-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2methanesulfonylamino-3-oxo-propylsulfanylmethyl}-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(2.4.6trimethyl-benzenesulfonylamino)-propylsulfanylmethyl]-phosphonic acid [3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(thiophene-2-sulfonylamino)-propylsulfanylmethyl]-phosphonic acid

[3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-(3-piperidin-1-yl-propionylamino)-propylsulfanylmethyl]-phosphonic acid {2-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-ethylsulfanylmethyl}-phosphonic acid

{2-(2-Benzo[1.3]dioxol-5-yl-acetylamino)-3-[2-(1-carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[2-(3.5-dimethoxy-phenyl)-acetylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[2-(2-methoxy-phenyl)-acetylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {2-[2-(2-Naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-oxo-ethylsulfanylmethyl}-phosphonic acid

[2-Oxo-2-(2-phenylcarbamoyl-piperidin-1-yl)-ethylsulfanylmethyl]-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-[2-(3-methoxy-phenyl)-acetylamino]-3-oxo-propylsulfanylmethyl}-phosphonic acid {3-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-3-oxo-2-[2-(4-piperazin-1-yl-phenyl)-acetylamino]-propylsulfanylmethyl}-phosphonic acid {2-[2-(1-tert-Butylcarbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-oxo-ethylsulfanylmethyl}-phosphonic acid

{2-[2-(1-Methylcarbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-oxoethylsulfanylmethyl}-phosphonic acid

{2-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-1-methyl-2-oxo-ethylsulfanylmethyl}-phosphonic acid

- [2-(2-Benzylcarbamoyl-piperidin-1-yl)-2-oxo-ethylsulfanylmethyl]-phosphonic acid [2-Oxo-2-(2-phenethylcarbamoyl-piperidin-1-yl)-ethylsulfanylmethyl]-phosphonic acid {2-Oxo-2-[2-(3-phenyl-propylcarbamoyl)-piperidin-1-yll-ethylsulfanylmethyl}phosphonic acid
- {2-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-1methylcarbamoylmethyl-2-oxo-ethylsulfanylmethyl}-phosphonic acid {2-[2-(1-Carbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]-1-[(4-methoxyphenylcarbamoyl)-methyl]-2-oxo-ethylsulfanylmethyl}-phosphonic acid {2-[2-(1-tert-Butylcarbamoyl-2-naphthalen-2-yl-ethylcarbamoyl)-piperidin-1-yl]ethylsulfanylmethyl}-phosphonic acid
- 2,2-Dimethyl-propionic acid {2-[2-(1-tert-butylcarbamoyl-2-naphthalen-2-ylethylcarbamoyl)-piperidin-1-yl]-2-oxo-ethylsulfanylmethyl}-(2,2-dimethylpropionyloxymethoxy)-phosphinovloxymethyl ester
- {2-[2-(2-Naphthalen-2-yl-1-phenyl-ethylcarbamoyl)-piperidin-1-yl]-2-oxoethylsulfanylmethyl}-phosphonic acid
- (2-{2-[1-(4-Methyl-thiazol-2-yl)-2-naphthalen-2-yl-ethylcarbamoyl]-piperidin-1-yl}-2oxo-ethylsulfanylmethyl)-phosphonic acid
- {2-[2-(2-Naphthalen-2-yl-1-[1,3,4]oxadiazol-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2oxo-ethylsulfanylmethyl}-phosphonic acid
- (2-{2-[2-Naphthalen-2-yl-1-(4H-[1,2,4]triazol-3-yl)-ethylcarbamoyl]-piperidin-1-yl}-2oxo-ethylsulfanylmethyl)-phosphonic acid
- {2-[2-(2-Naphthalen-2-yl-1-pyridin-2-yl-ethylcarbamoyl)-piperidin-1-yl]-2-oxoethylsulfanylmethyl}-phosphonic acid

and salts, hydrates and solvates thereof as well as pro drugs thereof.

- 14. (Currently Amended) A pharmaceutical composition comprising a compound according to any of claims 1 to 13 claim 1 and a pharmaceutically acceptable carrier, diluent or excipient.
- 15. (Original) The pharmaceutical composition according to claim 14 comprising a further pharmaceutically active compound.
- 16. (Currently Amended) The pharmaceutical composition according to claim 14 or 15, wherein the compound is present as a pharmaceutically acceptable salt or a pharmaceutically active solvate.
- 17. (Currently Amended) The pharmaceutically active composition according to any of claims 14 to 16 claim 14, wherein the pharmaceutically active compound is either alone or in combination with any of the ingredients of the composition present in a multitude of individualized dosages and/or administration forms.
- 18. (Currently Amended) Use of a compound according to any of the preceding claims claim 1 for the manufacture of a medicament.

19. (Currently Amended) Use of a compound for the manufacture of a medicament for the treatment of a disease, whereby the disease involves an abnormal cell proliferation, an undesired cell proliferation, an abnormal mitosis and/or an undesired mitosis,

whereby the compound is a compound according to any of the preceding claims claim 1.

- 20. (Original) The use according to claim 19, wherein the compound is acting on an enzymatic activity involved in the regulation of cell division and/or cell cycle or part thereof, preferably the part of the cell cycle is mitosis.
- 21. (Currently Amended) The use according to claim 19 or 20, wherein the disease is selected from the group comprising neurodegenerative diseases, stroke, inflammatory diseases, immune based disorders, infectious diseases, heart diseases, cardiovascular diseases and cell proliferative diseases.
- 22. (Original) The use according to claim 21, wherein the neurodegenerative disease is selected from the group comprising Alzheimer's disease, Huntington's disease, Parkinson's disease, peripheral neuropathy, progressive supranuclear palsy, corticobasal degeneration, frontotemporal dementia, synucleinopathies, multiple system atrophy, amyotrophic lateral atrophy, prion diseases and motor neuron diseases.

- 23. (Original) The use according to claim 21, wherein the infectious disease is selected from the group comprising fungal, viral, bacterial and parasite infection.
- 24. (Original) The use according to claim 23, wherein the fungal infection is selected from the group comprising gynaecological and dermatological infection.
- 25. (Original) The use according to claim 23, wherein the fungal infection is caused by or involves *Histoplasma*, *Coccidioides*, *Cryptococcus*, *Blastomyces*, *Paracoccidioides*, *Aspergillus*, *Sporothrix*, *Rhizopus*, *Absidia*, *Mucor*, *Hormodendrum*, *Phialophora* Microsporum, Epidermophyton, *Rhinosporidum or by a yeast*, *preferably Candida or Cryptococcus*.
- 26. (Currently Amended) The use according to claim 21 or 23, wherein the infectious disease is selected from or the fungal infection causes a disorder selected from the group comprising ringworm, candidiasis, coccidioidomycosis, blastomycosis, aspergillosis, cryptococcosis, histioplasmosis, paracoccidiomycosis, zygomycosis, sporotrichiosis, mycotic keratitis, nail hair and skin disease, lobomycosis, chromoblastomycosis, mycetoma.
- 27. (Original) The use according to claim 23, wherein the bacterial infection is selected from the group comprising infections caused by Gram-positive and by Gram-negative bacteria.

- 28. (Original) The use according to claim 27, wherein the bacterial infection is caused by or involves *Staphylococcus*, *Clostridium*, *Streptococcus*, *Listeria*, *Salmonella*, *Bacillus*, *Escherichia*, *Mycobacteria*, *Serratia*, *Enterobacter*, *Enterococcus*, Nocardia, *Hemophilus*, *Neisseria*, *Proteus*, *Yersinia*, *Helicobacter* or *Legionella*.
- 29. (Currently Amended) The use according to claim 21 or 23, wherein the infectious disease is selected from or the bacterial infection causes a disorder selected from the group comprising pneumonia, diarrhea, dysentery, anthrax, rheumatic fever, toxic shock syndrome, mastoiditis, meningitis, gonorrhea, typhoid fever, brucellis, Lyme disease, gastroenteritis, tuberculosis, cholera, tetanus and bubonic plague.
- 30. (Original) The use according to claim 23, wherein the viral infection is selected from the group comprising infections caused by or involving retrovirus, HIV, Papilloma virus, Polio virus, Epstein-Barr, Herpes virus, Hepatitis virus, Papova virus, Influenza virus, Rabies, JC, encephalitis causing virus or hemorrhagic fever causing virus.
- 31. (Original) The use according to claim 23, wherein the parasite infection is selected from the group comprising infections caused by or involving *Trypanosoma*, *Leishmania*, *Trichinella*, *Echinococcus*, *Nematodes*, *Classes Cestoda Trematoda*,

Monogenea, Toxoplasma, Giardia, Balantidium, Paramecium, Plasmodium, or Entamoeba.

- 32. (Original) The use according to claim 21, wherein the cell proliferative disorder is selected from the group comprising neoplastic and non-neoplastic disorders.
- 33. (Original) The use according to claim 32, wherein the neoplastic cell proliferative disorder is selected from the group comprising solid tumor, lymphoma and leukemia.
- 34. (Original) The use according to claim 33, wherein the solid tumor is selected from the group comprising carcinoma, sarcoma, osteoma, fibrosarcoma, and chondrosarcoma.
- 35. (Original) The use according to claim 32, wherein the neoplastic cell proliferative disorder is selected from the group comprising breast cancer, prostate cancer, colon cancer, brain cancer, lung cancer, pancreatic cancer, gastric cancer, bladder cancer and kidney cancer.
- 36. (Original) The use according to claim 32, wherein the non-neoplastic cell proliferative disorder is a fibrotic disorder, preferably the fibrotic disorder is fibrosis.

- 37. (Original) The use according to claim 32, wherein the non-neoplastic cell proliferative disorder is selected from the group comprising prostatic hypertrophy, endometriosis, psoriasis, tissue repair and wound healing.
- 38. (Original) The use according to claim 21, wherein the immune based/inflammatory disease is an autoimmune disease or disorder.
- 39. (Original) The use according to claim 21, wherein the immune based/inflammatory disease is selected from the group comprising rheumatoid arthritis, glomerulonephritis, systemic lupus erythematosus associated glomerulonephritis, irritable bowel syndrome, bronchial asthma, multiple sclerosis, pemphigus, pemphigoid, scleroderma, myasthenia gravis, autoimmune haemolytic and thrombocytopenic states, Goodpasture's syndrome, pulmonary hemorrhage, vasculitis, Crohn's disease and dermatomyositis.
- 40. (Original) The use according to claim 21, wherein the immune based and/or inflammatory disease is an inflammatory condition.
- 41. (Original) The use according to claim 21, wherein the immune based and/or inflammatory disease is selected from the group comprising inflammation associated with burns, lung injury, myocardial infarction, coronary thrombosis, vascular occlusion, post-surgical vascular reocclusion, artherosclerosis, traumatic central nervous system injury, ischemic heart disease and ischemia-reperfusion

injury, acute respiratory distress syndrome, systemic inflammatory response syndrome, multiple organ dysfunction syndrome, tissue graft rejection and hyperacute rejection of transplanted organs.

- 42. (Currently Amended) The use according to any of claims 19 to 41 claim 19, wherein the medicament is for administration via an administration route which is selected from the group comprising oral, subcutaneous, intravenous, intranasal, transdermal, intraperitoneal, intramuscular, intrapulmonar, vaginal, rectal, and intraocular administration.
- 43. (Currently Amended) The use according to any of claims 19 to 42 claim 19, wherein the medicament is for the administration to a mammal, preferably to a human being.
- 44. (Cancelled)